



12.3

NOTICE

THIS DRAWING IS THE PROPERTY OF QUALITROL CORPORATION AND IS LOANED ONLY ON THE CONDITION THAT IT WILL BE USED TO FACILITATE THE PURPOSE FOR WHICH INTENDED AND NOT BE REPRODUCED, COPIED OR OTHERWISE DISPOSED OF, AND IS NOT TO BE USED IN WHOLE OR PART FOR FURNISHING INFORMATION RELATIVE TO THE MAKING OF DRAWINGS, PARTS APPARATUS OR PARTS THEREOF, EXCEPT BY WRITTEN ORDER FROM QUALITROL CORPORATION.

MODEL NO. 213-011

- NOTES:
- ① 11 AND 12 ARE CLOSED, 11 AND 14 ARE OPEN WHEN ALARM SWITCH IS MOUNTED AND ARMED AS SHOWN.
 2. WHEN DEVICE OPERATES; 11 AND 12 OPEN, 11 AND 14 CLOSE.
 - ③ WHEN THE SWITCH RESET LEVER IS MANUALLY DEPRESSED; 11 AND 12 WILL CLOSE, 11 AND 14 WILL OPEN.
 4. SWITCH RATING: 10 A @ 125, 250, 480 VAC
.5 A @ 125 VDC (NON-INDUCTIVE)
.25 A @ 250 VDC (NON-INDUCTIVE)
INSULATION CLASS: 2,000 VAC, 50/60 Hz, 1 MIN.
 5. ENCLOSURE IS FREE BREATHING AND CONFORMS TO THE REQUIREMENTS OF IP65.
 6. FINISH: ASA #70 LT GRAY EPOXY
 7. OPERATING PRESSURE: (SEE SHEET 2 OF 2)



WIRING DIAGRAM
(AS SHOWN ON ALARM SWITCH LABEL)

DIMENSIONS ARE IN INCHES (mm)

SHEET 1 OF 2

-	1/24/14	IMPROVE FROM IP54 TO IP65 W/ VENTED ENCLOSURE	32130
-	12-22-99	DELETED NOTE 8 (GASKET MATERIAL)	20848
-	4-26-99	RELEASED	20335
LET	DATE	ALTERATION	C.N.


QUALITROL
CORPORATION

DIMENSIONS AND TOLERANCES IN
ACCORDANCE WITH ASME Y14.5M-1994

PH. (716) 586-1515
FAX (716) 377-0220
1385 FAIRPORT ROAD
FAIRPORT, NY 14450
FORM 0-473 REV.C 7/1/97

TITLE: PRESSURE RELIEF DEVICE,
W/ DIRECT (1 POLE) SWITCH WIRING

MODEL NO. 213-011





NOTICE
THIS DRAWING IS THE PROPERTY OF QUALITROL COMPANY LLC AND IS LOANED ONLY ON THE CONDITION THAT IT WILL BE USED TO FACILITATE THE PURPOSE FOR WHICH INTENDED AND NOT BE REPRODUCED, COPIED OR OTHERWISE DEPOSED OF, AND IS NOT TO BE USED IN WHOLE OR PART FOR FURNISHING INFORMATION RELATIVE TO THE MAKING OF DRAWINGS, PARTS APPARATUS OR PARTS THEREOF, EXCEPT BY WRITTEN ORDER FROM QUALITROL COMPANY LLC.

MODEL NO. 213-011

NOTES:

1. 11 AND 12 ARE CLOSED, 11 AND 14 ARE OPEN WHEN ALARM SWITCH IS MOUNTED AND ARMED AS SHOWN.
2. WHEN DEVICE OPERATES; 11 AND 12 OPEN, 11 AND 14 CLOSE.
3. WHEN THE SWITCH RESET LEVER IS MANUALLY DEPRESSED; 11 AND 12 WILL CLOSE, 11 AND 14 WILL OPEN.
4. SWITCH RATINGS:
ENEC/CQC: 11(3) A, 125/250 VAC
UL/cUL: 11(3) A, 125/250 VAC
UL FILE#: E12252
INSULATION CLASS: 2,000 VAC, 50/60 Hz, 1 MIN.
5. ENCLOSURE IS FREE BREATHING AND CONFORMS TO THE REQUIREMENTS OF IP54.
6. FINISH:
ASA #70 LT GRAY EPOXY
7. OPERATING PRESSURE:
(SEE SHEET 2 OF 2)



WIRING DIAGRAM
(AS SHOWN ON ALARM SWITCH LABEL)

DIMENSIONS ARE IN INCHES (mm)

SHEET 1 OF 2

-	05-30-12	UPDATED SWT RATINGS	30164
-	05-30-12	ADD ADP-152-1 AND CHANGED CALLOUT	21808
-	12-22-99	DELETED NOTE 8 (GASKET MATERIAL)	20848
LET	DATE	ALTERATION	C.N.

QUALITROL®

DIMENSIONS AND TOLERANCES IN ACCORDANCE WITH ASME Y14.5M-1994

PH. (585) 586-1515
FAX (585) 377-0220

1385 FAIRPORT ROAD
FAIRPORT, NY 14450
FORM 0-473 REV. F 04/06/06

TITLE: PRESSURE RELIEF DEVICE,
W/ DIRECT (1 POLE) SWITCH WIRING

MODEL NO. 213-011

DO NOT SCALE PRINT

WAS
NO.DRAWING
NO.

213-011

REVISION	MODEL PT. NO.	GASKET MAT'L	X-FORM. LIQUID	OPERATING PRESSURE	ALARM SWITCH	SEMA- PHORE	INDICATOR COLOR	REMARKS
20662 10-1-99	213-011-01	NITRILE	OIL	15 PSIG±1	YES	NO	YELLOW	_____
20662 10-1-99	213-011-02	NITRILE	OIL	17 PSIG±2	YES	NO	YELLOW	SUPPLIED W/ (2) GASKETS
20848 12-22-99	213-011-03	NITRILE	OIL	20 PSIG±2	YES	NO	YELLOW	_____

NOTICE

THIS DRAWING IS THE PROPERTY OF QualITROL CORPORATION AND IS LOANED ONLY ON THE CONDITION THAT IT WILL BE USED TO FACILITATE THE PURPOSE FOR WHICH IT WAS INTENDED AND NOT BE REPRODUCED, COPIED OR OTHERWISE DISPOSED OF, AND IS NOT TO BE USED IN WHOLE OR PART FOR FURNISHING INFORMATION RELATIVE TO THE MAKING OF DRAWINGS, PARTS, APPARATUS OR PARTS THEREOF, EXCEPT BY WRITTEN ORDER FROM QualITROL CORPORATION.

DIMENSIONS AND TOLERANCES IN ACCORDANCE
WITH ASME Y14.5M-1994

FORM 0-465 REV.C 7/1/97

QUALITROL

CORPORATION FAIRPORT, NEW YORK

TITLE: PRESSURE RELIEF DEVICE
W/ DIRECT (1 POLE) 1 SW. WIR.

SCALE

SHEET 2 OF 2

1:1

DRAWING
NO.

213-011